



# COLOR SENSE

VOXFLO<sup>R</sup>



VOXFLO<sup>R</sup>

"Color is a power which directly influences the soul."

- Wassily Kandinsky

“Colour could give rise to sensations which would interfere with our conception of space.”

--Georges Braque

It's excitement, enthusiasm, and warmth  
It's renewal, nature, and energy..



Color Sense 75012003,75012005  
Sense 75012





Color Sense 75012003, 75012005  
Sense 75012

"Color is, on the evidence of language alone, very  
bound up with the feelings."

-- Marion Milner

It's optimistic, cheerful, and creativity.  
It's calm, neutral, and sophisticated...





Color Sense 75012001,75012006  
Sense 75012



Color Sense 75012001,75012006  
Sense 75012




"Blue has no dimensions, it is beyond dimensions."

-- Yves Klein

It's depth, trust, loyalty, and wisdom...



Color Sense 75012002



Color Sense 75012002  
Sense 75012




Color Sense 75012002  
Sense 75012

“Green is the prime color of the world, and that from which its loveliness arises.”


--Pedro Calderon de la Barca

It's d growth, harmony, and freshness...



Color Sense 75012003 75012004







## COLORS



color sense 75012001



color sense 75012002




color sense 75012003



color sense 75012004




color sense 75012005



color sense 75012006

## SPECIFICATION

Style Name:	Color Sense
Construction:	Multi-level Loop
Fiber:	Voxflor Certified Ny Ion
Gauge:	1 /12 "
Stitches:	9 per inch
Average Pile Height:	4 .0mm ± 0. 5 mm
Pile Weight:	26 oz/yd <sup>2</sup>
Backing:	EcoAir-Bac™ Pro
Tile size:	25cm* 100cm
Area of Use:	Commercial - Heavy Duty
Antimicrobial:	Ultra-Fresh Treatment (Available)
Flammability:	ASTM E 648 Class I, GB 8624 -2012 B1(C)
Smoke Density:	ASTM E 662 Less than 450, GB/T 8627-1999
Static Propensity:	AATCC-134 ≤ 3.5 kV , GB/T 18044-2008





**VOXFLO**  
www.voxflor.com

Shanghai Headquarter  
T +86 021 62989325

Milano Creative Studio  
T +39 3885863150

China Branch Office  
Beijing/ Guangzhou/ Shenzhen/ Xiamen  
T 400 021 0790

